

IDM-1780

17" Industrial Sunlight Readable Display Monitor with Touch Screen, VGA



Features

- ⦿ 17" LCD supports 1280 x 1024 pixels, high brightness 1500 nits
- ⦿ Supports Full-function OSD Keys to Optimize the Display
- ⦿ 15 pin D-sub Analog RGB 0.7Vp-p/75 Ohm signal input
- ⦿ Low power consumption
- ⦿ Slim and Flat Ergonomic Design
- ⦿ Optional 5 Wire resistive touch screen
- ⦿ Supports Panel Wall Mount, VESA Mount

Introduction

The IDM-1780 Industrial Sunlight Readable monitor offers a standard 17" TFT LCD screen supporting 1280 x 1024 pixels, a sturdy and ready to mount metal chassis, an optional 5 wire resistive touch screen. Each of the monitors come complete with signal input cables, an OSD control, and a power supply making it to ready to install into the end application. The IDM-1780 is specially designed for commercial and industrial applications. It provides system resellers and solution integrators a wide choice of added value for their products, such as retail or ticketing kiosks, ATM, arcade games, vending machines, industrial equipment and instrumentation.

Ordering Information

IDM-1780	17" Industrial Sunlight Readable Monitor
IDM-1780T	17" Industrial Sunlight Readable Monitor with 5 Wire resistive touch screen

Note: All specifications and photos are subject to change without prior notice.