

SPC-1550T

15" Waterproof IP65 Stainless Steel Panel PC





Features

- Intel® Pentium®/Celeron® Braswell SoC Processor
- 5 Wire resistive touch screen

- VESA Mount


Introduction

The SPC-1550T panel pc computer is an all-in-one and compact system designed around a highly integrated Intel® Graphics Media Accelerator (GMA) chipset motherboard computer which is equipped with a 15-inch TFT LCD display. Features an embedded Intel® Pentium®/Celeron® Braswell processor CPU, it offers a compact design for limited space environments to meet the demanding performance requirements of business and industrial applications including factory / warehouse / home automation, Digital Signage, kiosk, network communication and information terminal.

Specifications

	Display Type	15" XGA TFT LCD
Display	Resolution	1024 x 768 pixels
	Luminance / Brightness	400 cd/m² (w/o Touch), Optional 1500 cd/m²
	Backlight MTBF	LED Backlight, 30,000 hrs
	Touch Screen Type	5 Wire Resistive Touch Screen with USB Interface
Main System	System Board	Mini-ITX Form Factor , Dimension: 170 x 170 mm
	CPU	Intel® Pentium®/Celeron® Braswell SoC N3150/N3160 Quad core processor
	Chipset	Intel® Gen8 Graphics DX11, OGL3.2
	Memory Slots	Dual channel DDR3L 1333/1600 MHz SO-DIMM, Support up to 8 GB of system memory
	Onboard Graphic	Integrated graphic
	Audio	High Definition Audio
	LAN	Integrated Dual Realtek RTL8111G Gigabit Ethernet
Storage	Drive Bay	1 x mSATA SSD bay
		1 x VGA, 2 x LAN
I/O Connectors		1 x COM
		2 x USB 2.0 port
Expansion		1 x Mini PCI-Express socket
Power Supply		12V~24V DC
Dimension		345mm x 275.79mm x 62.5mm
Environment		Storage Temperature: -20 ~ 60 ° C
		Operating Temperature: 0 ~ 50 ° C
		Relative Humidity: 10%~95%, non-condensing

Dimensions Drawing



Optional Accessories

SATA SSD	32GB, 64GB, 128GB	
DDR3L RAM	2GB, 4GB, 8GB	

Optional OS Installation

Windows Embedded Standard 7 Runtime(WES7)

Ordering Information

Note: All specifications and photos are subject to change without prior notice.